

Table 1. Group A: Obstetrical hemorrhage

age	diagnosis	Embolic vessels	Embolic material	Complications	Treatment after TAE	Time to resumption of menstruation (months)	Desire for pregnancy	Time to pregnancy (months) and outcome
1	40 retention of placenta	BIIA	GS			9 (during breastfeeding)	unknown	
2	35 retention of placenta	BUtA UIIA	NBCA, GS GS			2	-	
3	38 retention of placenta	BUtA	NBCA			13 (during breastfeeding)	+	
4	35 retention of placenta	BUtA	GS			1.5	+	7 SA (6Ws) 9 SA (9Ws) 19 NVD (39Ws)
5	31 retention of placenta	UUtA	GS			3	unknown	
6	39 retention of placenta	BUtA	GS			1	+	
7	41 retention of placenta	BUtA	NBCA			2	-	
8	25 PPH+DIC (placental abruption)	BIIA	NBCA			3	unknown	
9	43 PPH+DIC (placental abruption)	BIIA	NBCA	buttock pain, foot ischemia, hypomenorrhea		2	-	
10	35 PPH+DIC (retroperitoneal hematoma)	UIIA	NBCA			unknown	unknown	
11	44 PPH+DIC (uterine cervical fibroid)	UUtA UIIA	NBCA			3	-	
12	29 placenta accreta	URLA UIIA	NBCA GS		hys	-		
13	39 placenta accreta	BUtA	NBCA			5	+	
14	38 uterine artery pseudoaneurysm	UIIA	NBCA			4	+	
15	31 uterine artery pseudoaneurysm	BUtA	NBCA			1	unknown	
16	41 cervical pregnancy	UUtA UIIA	MTX+GS			3	unknown	
17	31 cervical pregnancy	1st UUtA	MTX+GS					
		2nd UUtA+UOvA	NBCA			2	+	
18	38 cesarean scar pregnancy	BUtA	GS			unknown	unknown	
19	43 unexplained hemorrhage after CS	UUtA	NBCA			9 (during breastfeeding)	-	
20	37 unexplained hemorrhage after CS	BUtA	GS			12 (after breastfeeding)	+	
21	33 unexplained hemorrhage after CS	1st BUtA	GS					
		2nd UUtA	NBCA			2	+	
22	35 unexplained hemorrhage after CS	BUtA	GS			7 (during breastfeeding)	+	
23	37 unexplained hemorrhage after NVD	BUtA UOvA	GS			3	+	

Table 2. Group B: Gynecological hemorrhage

	age	diagnosis	Embolic vessels	Embolic material	Complications	Treatment after TAE	Time to resumption of menstruation (months)	Desire for pregnancy	Time to pregnancy (months) and outcome
1	40	uterine artery pseudoaneurysm	BUtA	NBCA			1	-	
2	25	uterine artery pseudoaneurysm	BUtA	GS			1	unknown	
3	34	uterine artery pseudoaneurysm	1st UUtA	GS					
			2nd BUtA	NBCA			1	+	15 NVD(38Ws)
4	27	uterine artery pseudoaneurysm	1st BUtA UOvA	GS					
			2nd BUtA UOvA	GS	GnRHa 2cycles	3	unknown		
5	39	AVM	UUtA	NBCA			1	+	6 NVD (40Ws), PPH 1,300mL
6	41	AVM	UUtA	NBCA, TAGM			1	unknown	6 IA (9Ws)
7	49	uterine fibroids	BUtA	TAGM		hys	-		
8	50	uterine fibroids	BUtA	GS			1	-	
9	45	uterine fibroids	BUtA	GS			1	-	
10	51	adenomyosis	UUtA	GS		hys	-		
11	26	unexplained hemorrhage	BUtA	GS		GnRHa 4cycles	6	unknown	
12	18	unexplained hemorrhage (suspicious of uterine vessel abnormalities)	1st UUtA	GS					
			2nd BUtA	GS			5	+	
13	35	unexplained hemorrhage	BUtA	GS			1	unknown	
14	44	unexplained hemorrhage	BUtA	GS			1	-	
15	28	unexplained hemorrhage	BUtA	GS			1	-	

PPH: postpartum hemorrhage, DIC: disseminated intravascular coagulation, BIIA: bilateral internal iliac artery, UIIA: unilateral internal iliac artery, BUtA: bilateral uterine artery, UUtA: unilateral uterine artery, UOvA: unilateral ovarian artery, URLA: unilateral artery of the round ligament from external iliac artery, GS: gelatin sponge particles, NBCA: n-butyl-2-cyanoacrylate, TAGM: Tris-acryl gelatin microspheres, MTX: methotrexate, hys: hysterectomy, AVM: uterine arteriovenous malformation, SA: Spontaneous abortion, IA: induced abortion, CS: cesarean section, NVD: normal vaginal delivery, GnRHa: Gonadotropin releasing hormone agonist, Ws: weeks