

Predictors of clopidogrel hyper-responsiveness in neuro-interventional procedures

Ryotaro Suzuki, M.D.

Department of Neurosurgery, Dokkyo Medical University Saitama Medical Center

Tel. no.: +8148-965-1111

E-mail: ryo096943@gmail.com

Masaya Nagaishi M.D., PhD

Department of Neurosurgery, Dokkyo Medical University Saitama Medical Center

Tel. no.: +8148-965-1111

E-mail: masaya.nagaishi@gmail.com

Issei Takano, M.D.

Department of Neurosurgery, Dokkyo Medical University Saitama Medical Center

Tel. no.: +8148-965-1111

E-mail: ajamaru18@yahoo.co.jp

Tomoji Takigawa M.D., PhD

Department of Neurosurgery, Dokkyo Medical University Saitama Medical Center

Tel. no.: +8148-965-1111

E-mail: takigawa@dokkyomed.ac.jp

Akio Hyodo, M.D., PhD

Department of Neurosurgery, Dokkyo Medical University Saitama Medical Center

Tel. no.: +8148-965-1111

E-mail: hyodo@dokkyomed.ac.jp

Kensuke Suzuki , M.D., PhD

Department of Neurosurgery, Dokkyo Medical University Saitama Medical Center

Tel. no.: +8148-965-1111

E-mail: kensukes@dokkyomed.ac.jp

Declarations of interest: None.

Corresponding author:

Ryotaro Suzuki

2-1-50 Minamikoshigaya, Koshigaya City, Saitama, Japan, 343-8555,

Tel. no.: +8148-965-1111

Fax no.: +8148-965-8682

E-mail: ryo096943@gmail.com

Short title: Predictors of clopidogrel hyper-response

Keywords: clopidogrel hyper-responsiveness, low-density lipoprotein cholesterol, neuro-interventional procedure, antiplatelet therapy, calcium channel blockers