

Prevalence and associated factors of primary elbow osteoarthritis in the Japanese general elderly population: a Japanese cohort survey randomly sampled from a basic resident registry

Kentaro Nakayama, MD^{a,*}, Hiroyuki Kato, MD, PhD^b, Shota Ikegami, MD, PhD^b,

Masanori Hayashi, MD, PhD^b, Shun Hashimoto, MD, PhD^c, Noriko Sakai, MD, PhD^d,

Jun Takahashi, MD, PhD^b, Hiroshi Taneichi, MD, PhD^a

a. Department of Orthopaedic Surgery, Dokkyo University School of Medicine, 880

Kitakobayashi, Mibu, Tochigi 321-0293, Japan

Phone: +81-282-87-2161

Fax: +81-282-86-5422

b. Department of Orthopaedic Surgery, Shinshu University School of Medicine, 3-1-1

Asahi, Matsumoto, Nagano 390-8621, Japan

Phone: +81-263-37-2659

Fax: +81-263-35-8844

c. Department of Orthopaedic Surgery, Nagano Municipal Hospital, 1333-1 Tomitake,

Nagano, Nagano 381-8551, Japan.

Phone: +81-262-95-1199

Fax: +81-262-95-1148

d. Department of Orthopaedic Surgery, New Life Hospital, 851 Obuse, Nagano 381-0201, Japan

Phone: +81-262-47-2033

Fax: +81-262-47-2033

*Corresponding author: Kentaro Nakayama, MD

Postal Address: Department of Orthopaedic Surgery, Dokkyo University School of Medicine, 880 Kitakobayashi, Mibu, Tochigi 321-0293, Japan

Email address: kenporo@dokkyomed.ac.jp

Phone: +81-282-87-2161

Fax: +81-282-86-5422

Disclaimer: The authors, their immediate families, and any research foundations with which they are affiliated have not received any financial payments or other benefits from any commercial entity related to the subject of this article.

Institutional Review Board (IRB) Approval: This study was approved by the Institutional Review Board of Shinshu University Hospital (approval number: 2792)

Acknowledgements: We express our sincere gratitude and appreciation to the staff at New Life Hospital and Health and Welfare Division of Obuse town. We express also sincere gratitude to Dr. Takashi Igarashi of the Center for Clinical Research at Shinshu University Hospital for data management and Yoshikazu Ido, PT, PhD, Kayoko Misawa, PT, and Ryosuke Tokida, PT of Rehabilitation Center, Shinshu University Hospital for sample selection in this study.